4

19 RS BR 1082

- AN ACT relating to the qualifications of employees of the Auditor of Public
   Accounts.
- 3 Be it enacted by the General Assembly of the Commonwealth of Kentucky:
  - → Section 1. KRS 43.030 is amended to read as follows:
- The Auditor shall appoint for the duration of his or her own term, subject to 5 (1)6 removal by the Auditor[him] at any time, one (1) assistant auditor of public 7 accounts, who shall be a certified public accountant and who has been a citizen and 8 resident of the state for at least two (2) years. The assistant auditor shall have direct 9 supervision over all technical work and technical assistants, and shall otherwise aid 10 the Auditor in the performance of his *or her* duties. If the Auditor is absent or is 11 rendered incapable of performing his or her duties, or if a vacancy in the office 12 occurs, the assistant auditor shall perform the duties of Auditor until the necessity 13 therefor ceases to exist. He *or she* shall take the constitutional oath.
- 14 (2)The Auditor may employ other subordinate personnel subject to the provisions of KRS 12.060. All employees with status as defined in KRS 18A.005 who are 15 16 engaged in auditing or investigations shall possess a minimum of a four (4) year 17 college degree. No less than ninety percent (90%) of all employees engaged in 18 financial auditing or financial investigations shall have twenty (20) semester hours 19 or thirty (30) quarter hours of accounting, or alternately, shall be a certified public 20 accountant. Not more than two (2) persons charged with the conduct of audits and 21 investigations may substitute year-for-year responsible experience acceptable to the 22 Personnel Cabinet for the required college education and accounting hours.
- 23 (3) The Auditor and his *or her* sureties are liable on his *or her* official bond for the acts
  24 of the assistant auditor and clerks.
- (4) Nothing in this section shall be deemed to affect the provisions of KRS 11.090 or
  other legislation authorizing audits.